

Proud to offer garment solutions for patients of almost every size and shape.

Designed with a leading vascular surgeon, Lympha Press® systems can be used in the comfort of home and are reimbursed by Medicare and other health insurance plans for home treatment of lymphedema and venous stasis ulcers.

(see individual plans for coverage criteria)

Contraindications

Use of compression therapy systems is not recommended in the presence of any of the following:

- Known or suspected deep vein thrombosis or pulmonary embolism
- During the inflammatory phlebitis process
- Acute infection of the affected limb
- Decompensated cardiac failure
- Congestive heart failure
- Severe arteriosclerosis or ischemic vascular disease
- Any circumstance where increased venous and lymphatic return is undesirable
- Due to the movement of fluids in the body when using the system, exercise caution when using on patients with heart disease
- High pressure is not recommended for patients who have peripheral occlusion disease
- The abdominal area should not be treated during pregnancy

¹ Chronic Venous Insufficiency Diagnosis and Treatment, Ballard and Bergan, 1999.

² JOURNAL OF VASCULAR SURGERY, Volume 53, No. 4

1-800-734-0422
www.lymphapress.com



Home Treatment Solutions

For the treatment of lymphedema, venous insufficiency, chronic wounds, and lipedema.

Therapy that's easy to live with.



Take control of heavy, swollen limbs.

Managing swelling is important because when fluid builds up, it can cause skin changes and become a breeding ground for infection, such as cellulitis. Using Lympha Press® at home moves fluid up and out of your system.

Indications for use

Chronic Wounds/Venous Disease

Lympha Press® Intermittent Pneumatic Compression (IPC) treats the underlying condition to:

- Decrease recurrence and reduce wound healing time¹
- Reduce venous stasis
- Increase flow velocity in the deep veins²
- Address dysfunction of the muscle pump

Edema

Lympha Press manages swelling caused by excess fluid trapped in body tissues and activates the lymphatics. Helping the lymphatic system to adequately drain fluid is imperative to prevent:

- Progressive infection
- Wound complications
- Hospitalization

Primary Lymphedema


Hereditary lymphedema is genetic and generally caused by malformation of the lymph vessels and/or lymph nodes.

Secondary (Acquired) Lymphedema

The most common form of lymphedema, it is caused by disruption to the drainage of the lymphatic system that occurs with trauma. Lympha Press effectively manages:

- Post-mastectomy edema
- Swelling and pain after injury or surgery

Lipedema



Optimal Plus™

Proven therapy that can be tailored to each patient's condition.



PCD-51™

Gradient sequential compression with the touch of a button.



PCD-52™


Multi-zone therapy for chronic edema and chronic wounds.

Anatomy of a Lympha Press® Garment

Our user-friendly design and dynamic compression ensures excellent treatment every time.



Bilateral therapy reduces treatment time and increases compliance




Non-stretch fabric; easy to keep clean for good hygiene and skin care



All garments are easy to put on and remove



Complete solutions available for torso, trunk and genital areas



Fully overlapping compression chambers for smooth and effective therapy without backflow or gaps



Solutions for Physicians

“Our patients who suffer with lymphedema and venous insufficiency are thrilled to have a treatment that frees them from the debilitating swelling they live with.”

Glenn K., D.O., F.A.C.O.S.

Community Surgical Associates,
Lancaster, PA

Quality of Life for Patients

“No other treatment comes close to eliminating swelling. My ability to walk and climb stairs has been restored to a pain-free effort. My legs look normal again!”

Deborah T.

Edison, NJ